

Novetral

(Oral liquid)

Composition: Each 1 ml contains:

Chlorogenic Acid: 0.6 mg

Polyphenols (Tannins): 1 mg

Properties and Indications:

Novetral: for prevention of many viral diseases that infect poultry such as: IB, Gumboro, ND, Avian Influenza.

Novetral: is an immunomodulator and can help to boost the immune system against viral diseases.

Novetral: induces the production of cytokines (e.g. IL-12, IFN- γ , TNF- α) and to lesser extent IL-10 that ultimately enhances the function of immune cells mainly natural killer cells, cytotoxic T lymphocytes and macrophages that are mainly responsible for the killing of intracellular pathogens.

Novetral: can modulate (regulate) the production of cytokines from immune cells pre-exposed to pathogens.

Dosage and Administration:

Prophylaxis: give 2 ml of Novetral /kg body weight/day consecutively for 7 days

Recommended application:

For achieving the highest effect possible of **Novetral**, chickens should be thirsted for three hours, followed by applying the right dosage after dilution in 25 % of the drinking water.

-Shake well before use and close tightly after each use.

Novetral can be given orally for as long as 28 days without significant toxicity or adverse events.

Withdrawal period: Zero days.

Storage: Store in dark and dry place at temperature below 30 °C.

1 Liter

For Veterinary Use Only